CANADIAN RED CROSS

Asthma

PRE-HOSPITAL

Call details:
Called to a workplace where a 32-year-old female is experiencing shortness of breath.

Instructions to role-players:
You are a 32-year-old female with a history of asthma. You are sitting in a chair, leaning forward, and are struggling to breathe even though you have used your inhaler once.

MARINE

Call details:
Called to a cabin on board a vessel where a 32-year-old female is experiencing shortness of breath.

Instructions to role-players:
You are a 32-year-old female with a history of asthma. You are sitting in a chair, learning forward, and are struggling to breathe even though you have used your inhaler once.

WORKPLACE

Call details:
Called to a workplace where a 32-year-old female is experiencing shortness of breath.

Instructions to role-players:
You are a 32-year-old female with a history of asthma. You are sitting in a chair, leaning forward, and are struggling to breathe even though you have used your inhaler once.

Copyright © 2012 The Canadian Red Cross Society

Participant(s): _____

Time initiated: _____

			Findings/Actions Successfully Identified/Demonstrated		
	Findings	**Actions**	**Yes**	**No**	**Notes/Supporting Comments**
Scene Survey					
Environment	See scenario				
Hazards	None				
Mechanism/Chief Complaint	SOB				
Number of Patients	1				
Additional Resources	None				
Primary Survey					
Introduction		**Apply PPE, introduce self and obtain consent**			
Appearance	Pale				
Level of Consciousness	Alert				
Spine	Clear				
Airway	Open				
Breathing/Circulation	Wheezing/present	**Oxygen via NRB, 12–15 lpm**			
Shock					
Rapid Body Survey					
Head-to-Toe Check	Wheezing on exhalation	Auscultation			
Intervention	Oxygen Medications	NRB, 12–15 lpm Ventolin® (as per local protocol)			
Transport Decision					
Decision	Load and go				
Secondary Survey					
Interview					
Chief Complaint	SOB				
Signs/Symptoms	SOB				
Allergies	Pollen, ASA				
Medications	Ventolin®				
Past Medical History	Asthma				
Last Meal	Lunch				
Events Prior	Patient sitting in chair				

Copyright © 2012 The Canadian Red Cross Society

				Findings/Actions Successfully Identified/Demonstrated		
	Findings		Actions	Yes	No	Notes/Supporting Comments
Secondary Survey (Continued)						
Vital Signs						
Pulse	110/regular/full	100/regular/full				
Respirations	26/rapid/laboured and shallow	18/regular/full				
Blood Pressure	156/96	130/84				
Pupils	4 mm/equal, round, and reactive to light	4 mm/equal, round, and reactive to light				
Skin	Pale, moist, warm	Pink, warm, dry				
GCS	15	15				
SPO_2	93%	98%				
Blood Glucose	N/A	N/A				
Head-to-Toe Check						
Head/Face	As found					
Neck	As found					
Chest	Wheezing upon exhalation					
Abdomen/Pelvis	As found					
Back	As found					
Upper Extremities	As found					
Lower Extremities	As found					
Neurological	As found					
Secondary Transport Decision						
Decision	Load and go					

Time completed: _____

Overall comments: _____

_____

_____

_____

_____

Steps shaded in dark grey are critical actions/findings. If a critical action/finding is not successfully demonstrated/identified, the scenario is incomplete. If the scenario is marked incomplete, supporting comments are required.

☐ Complete ☐ Incomplete

Copyright © 2012 The Canadian Red Cross Society