CANADIAN RED CROSS

Poison

PRE-HOSPITAL

Call details:
Called to an apartment for an unresponsive 17-year-old female.

Instructions to role-players:
You are a 17-year-old female who has taken a large dose of mixed medications. You have an allergy to peanuts and a history of depression, but your mother thought you were doing well over the past few months. Your mother found you when she came home from work. She called emergency medical services and is still on the scene.

MARINE

Call details:
Called to the cabin of a 22-year-old female engineer, found unresponsive.

Instructions to role-players:
You are a 22-year-old female engineer aboard a ship. You took a large dose of mixed medications. You have an allergy to peanuts and a history of depression, but your co-workers thought you were doing well over the past few months. Your co-workers were checking on you, and the head engineer found you when he came to your cabin. He called emergency medical services and is still on the scene.

WORKPLACE

Call details:
Called to an industrial construction site where a dump truck has backed into a loader. The female driver of the loader was found unresponsive.

Instructions to role-players:
You are a 26-year-old female operator of a loader. A dump truck operator backed into you. The driver stopped the truck and waited, but since no one approached the cab, he got out to check and found you in the driver's seat of the loader. You had taken a large dose of mixed medications. You have an allergy to peanuts and a history of depression, but your co-workers thought you were doing well over the past few months.

Copyright © 2012 The Canadian Red Cross Society

Participant(s): _____

Time initiated: _____

			Findings/Actions Successfully Identified/Demonstrated		
	Findings	**Actions**	**Yes**	**No**	**Notes/Supporting Comments**
Scene Survey					
Environment	Safe				
Hazards	None				
Mechanism/Chief Complaint	Possible overdose, drowsy				
Number of Patients	1				
Additional Resources	Co-workers				
Primary Survey					
Introduction		**Apply PPE**			
Appearance	Pale, cool, irritable, drowsy and clammy				
Level of Consciousness	Drowsy, responds to loud verbal commands				
Spine	Clear	Maintain spinal immobilization until head and/or spine injury ruled out			
Airway	Clear				
Breathing/Circulation	Shallow/weak	**Oxygen via NRB, 12–15 lpm, prepare BVM**			
Shock	Pale, cool, clammy				
Rapid Body Survey					
Head-to-Toe Check	Monitor shallow breathing				
Intervention		**Prepare BVM Call Poison Control if drugs are present**			
Transport Decision					
Decision		Prepare for transport			

Copyright © 2012 The Canadian Red Cross Society

				Findings/Actions Successfully Identified/Demonstrated		
	Findings		Actions	Yes	No	Notes/Supporting Comments
Secondary Survey						
Interview						
Chief Complaint	Depressed CNS		Continue to use loud verbal commands to stimulate patient			
Signs/Symptoms	Decreased consciousness					
Allergies	Peanuts					
Medications	Epinephrine, diazepam					
Past Medical History	Depression					
Last Meal	Unknown					
Events Prior	Went on a "bender"					
Vital Signs			**Use BVM to assist breathing (second set of vitals improves)**			
Pulse	140/rapid/weak	146/rapid/weak				
Respirations	6/regular/shallow	12/regular/full				
Blood Pressure	90/50	96/56				
Pupils	5 mm	5 mm				
Skin	Pale, cool	Pale, cool				
GCS	11	13				
SPO_2	96%	98%				
Blood Glucose	N/A	N/A				
Head-to-Toe Check						
Head/Face						
Neck						
Chest	Shallow breathing without assisted BVM					
Abdomen/Pelvis						
Back						
Upper Extremities						
Lower Extremities						
Neurological						
Secondary Transport Decision						
Decision			Transport			

Time completed: _____

Overall comments: _____

Steps shaded in dark grey are critical actions/findings. If a critical action/finding is not successfully demonstrated/identified, the scenario is incomplete. If the scenario is marked incomplete, supporting comments are required.

☐ Complete ☐ Incomplete

Copyright © 2012 The Canadian Red Cross Society